

BY-LAWS OF UNITY UNITED CHURCH CEMETERY


DEFINITIONS:

For the purpose of these by-laws, 'lot' shall mean a single grave space, and a 'plot' shall mean two or more lots sold as a unit.

For the purpose of these by-laws, 'Board' shall mean the Trustees of Unity United Church and Cemetery.

1. Monument suppliers are responsible for the proper construction of bases on which the monuments are to be placed, and for the use of proper spacers and proper sealant.
2. All monuments taller than one foot shall have a four foot deep foundation at the owner's expense. Monuments will be set upon adequate foundations (concrete strength of 20 mpa or 3,000 pounds) with no large stones or cement blocks as filler.
3. No monument with stationary flower containers or uncovered vertical joints to be used.
4. Monuments over four feet in height must be approved by the Board.
5. All monuments and foundations are to be installed with a Unity Church Board member present.
6. All monuments must be able to withstand the 100 pound pressure test. (One hundred pounds of horizontal force applied anywhere on the monument must not cause toppling.)
7. The Board reserves the right to ^{lay down} ~~remove~~ any unsafe monuments.
8. A contract for Marker or Monument Care and Maintenance is required before any marker is installed. Only one upright monument is allowed per plot. Corner posts are required on all plots.
9. Excavators for burials must remove excess earth following interments. Planking of heavy equipment is required in the cemetery when the ground is soft.
10. Children under the age of twelve years are not permitted to the grounds except in the charge of an adult.
11. No person shall do any work upon a burial lot without the permission and attendance of the cemetery board with the exception of normal planting and tending of flowers. The cemetery will not be responsible for portable items left on the premises.
12. Trees and shrubs in the cemetery must meet the approval of the Board. We reserve the right to prune or remove any that grow too large or any that interfere with lawn cutting.

13. A burial permit or a certificate of cremation showing that the death has been registered, must be received by the Unity Church Board prior to interment.
14. More than one interment of cremated remains may be allowed in one lot with the permission of the Board.
15. Cement vaults are recommended.
16. All disinterments will be done in accordance with the Cemeteries Act.
17. ~~The Board is not responsible for accidents or injuries.~~
18. Unity United Church Cemetery operates under licence number 03273100.

 ONTARIO	Ministry of Consumer and Commercial Relations Cemeteries Regulation	Ministère de la Consommation et du Commerce Réglementation des cimetières
APPROVED in accordance with the regulations under The Cemeteries Act.		APPROUVÉ conformément aux règlements afférents à la Loi sur les cimetières.
Date of Approval: Date de l'approbation		November 8, 1994
File No. of Cemetery: Numéro de fiche du cimetière		1050
By: For:		